

# SERIES 100 UL ROOF MOUNT SYSTEM

SnapNrack Solar Mounting Solutions

The SnapNrack line of solar mounting solutions is designed to reduce total installation costs. The system's technical innovations have been proven to drive down costs and improve installation quality on more than 350 MW of solar installations.

## Pitched Roof Arrays Simplified

The SnapNrack Series 100 UL Roof Mount System is an efficient, visually appealing, photovoltaic (PV) module installation system. Series 100 UL is Listed to the UL Standard 2703 for Bonding, meaning that all system components have been Certified by UL for electrical continuity, eliminating the need for additional grounding hardware. The System's components provide an adequate bonding path which has eliminated the need for grounding lugs and washers at each module, and bonding jumpers between splices. The UL 2703 Listing ensures that SnapNrack partners can provide the best in class installations in quality, safety, and efficiency.

- All bonding hardware is fully integrated into the components
- No grounding lugs required for modules
- Rail splices bond rails together, no rail jumpers required
- Proprietary SnapNrack grounding lug snaps in the rail channel, no drilling of rail or reaching for other tools required (One Lug per individual row of modules)
- Class A Fire Rating Type 1 and 2 modules


Patent Pending



## Roof System in 4 Simple Steps:

- 1) Go to the online Series 100 Configuration Tool ([configure.snapnrack.com](http://configure.snapnrack.com)) and select "Yes" for UL 2703 Listed
- 2) Identify Site Conditions (Array Tilt, Building Height, Roof Type, Wind and Snow Loads)
- 3) Build array in the online Configuration Tool and automatically generate a Bill of Materials.
- 4) Place order with your distributor. Purchase material for a single project or order in bulk for additional savings





SnapNrack Series 100 UL Technical Data <span style="float: right; font-weight: normal;">Patent Pending</span>	
Materials	<ul style="list-style-type: none"> <li>• 6000 Series aluminum</li> <li>• Stainless steel</li> <li>• Galvanized Steel and Aluminum Flashing</li> </ul>
Material Finish	<ul style="list-style-type: none"> <li>• Clear and black anodized aluminum</li> <li>• Mill Finish on select components</li> </ul>
Installation	<ul style="list-style-type: none"> <li>• Quick and efficient mounting</li> <li>• Adjustable hardware to ensure clean and level finish</li> <li>• All components bonded to ground with integrated bonding features</li> </ul>
Calcs. & Certifications	<ul style="list-style-type: none"> <li>• Listed to UL Standard 2703 for Grounding/Bonding and Fire Classification</li> <li>• Class A Fire Rating Type 1 and Type 2 Modules</li> <li>• Stamped Structural Engineering Reports for all 50 States</li> </ul>
Grounding	<ul style="list-style-type: none"> <li>• SnapNrack Grounding Lug (One Lug per individual row of modules)</li> </ul>
Warranty	<ul style="list-style-type: none"> <li>• 10 Year material and workmanship (download full details at <a href="http://snapnrack.com">snapnrack.com</a>)</li> </ul>

# SnapNrack™

## Solar Mounting Solutions

(877) 732-2860      [www.SnapNrack.com](http://www.SnapNrack.com)