



# ZOMEWORKS CORPORATION TRACK RACK™ PRICES AND SPECIFICATIONS

PANEL TYPE	SQ.FT/ PANEL	PANEL DIMENSIONS	UTR-020	UTRK-040	UTRF-064	UTRF-090	UTRF-120	UTRF-168
Retail Price			\$819.00	\$1,668.00	\$2,208.00	\$2,496.00	\$2,820.00	\$4,182.00
<b>ADVENT SOLAR</b>								
ADVENT 160-180W	14.1	63.8" x 31.9"	1	2	3-4	5*-6*	7*-8*	9*-10-11*-12*
ADVENT 210 / 215 / 220 / 225 / 230 / 235 / 240	17.9	66.1" x 39"	1	2	3	4 - 5*	6*	8 - 9*
<b>ARCO</b>								
M-75	4.3	48.0 x 13.0	1-2-3-4	5†-6†-7†-8†	9*-10-11*-12-13*-14	15*-16-17*-18-19*-20	21*-22-23*-24-25*-26-27*	28-29*-30*-31*-32*-33*-34*-35*-36*-37*-38*
<b>ASTRONERGY</b>								
CHSM 5409M (85-95)	7.2	47.2" x 21.8"	1-2	3-4-5	6-7*-8-9*	10-11*-12	13*-14-15*-16	17*-18*-19*-20*-21*-22*-23*
CHSM 5612M (175-195)	13.7	62.2" x 31.8"	1°	2°-3°	4	5-6	7*-8-9*	10-11*-12*
CHSM 6610P (215-240)	17.7	65.0" x 39.1"	1°	1-2°	3	4-5*	6*	7*-8-9*
<b>BP SOLAR</b>								
BP-160F/270F/275F/280F/580F/585F	6.8	46.8" x 20.9"	1-2	3-4-5	6-8	10-12	N/A	N/A
BP-270L/275L/580L/585L	6.7	46.6" x 20.7"	1-2	3-4-5	6-8	10-12	N/A	N/A
BP-340	3.8	25.8" x 21.1"	1-2	3-4-5	6-8-10-12	N/A	N/A	N/A
BP-350	4.9	33.0" x 21.2"	1-2	3-4-5	6-7*-8-9*-10-11*-12*-13*	14*-15*-16*-17*-18*	19*-20*-21*-22*-23*-24*	26**-28**-30**-32**
BP-365/365U	6	43.7" x 19.8"	1-2-3	4-5	6-7*-8-9*-10	11*-12-13*-14-15*	16-17*-18-19*-20*	21*-22*-23*-24*-25*-26*-27*
BP-380/385/485/485J/490J	7	47.4 x 21.1"	1-2	3-4-5	6-7*-8-9*	10-11*-12-13*	14-15*-16-17*	18*-19*-20*-21*-22*-23*-24*
BP-170B/175B/4175B/4180B SX-3165B/3175B	13.5	62.7" x 31.1"	1	2-3	4-5*	5-6-7*	8	9*-10-11*-12
BP-170/175/4175/4175L/4180 SX170I	14.1	62.5" x 32.6"	1	2-3	4	5*-6-7*	8	9*-10-11*
BP-SX 3190/3195/3200/3195B/3200B/	15.1	66.1" x 32.9"	N/A	1-2	3-4	5*-6*	7*-8*	9*-10-11*
BP-3115/3125 / SX-3130/3140	10.9	59.5" x 26.5"	1-2	3	4-5*	6-7*-8	9*-10	11*-12-13*-14-15*
BP-580U/585U/SX-75TU	6.9	47.4" x 21.1"	1-2	3-4-5	6-7*-8-9*	10-11*-12-13*	14-15*-16*-17*	18*-19*-20*-21*-22*-23*-24*
BP-SX-75/80/85	7.9	57.3" x 19.8"	1-2	3-4-5	N/A	6-8-10	12-14	N/A
BP-115	11	59.5" x 26.5"	1-2	3	4-5*-6*	6-7*-8	9*-10	11*-12-13*-14-15*
BP 3215B	17.9	65.6" x 39.4"	1	2	3	4-5*	6*	7*-8-9*
BP-SX-150S/BP3160	13.5	62.5 x 31.1	1	2-3	4	5-6	7*-8-9*	10-11*-12
BP-3280T	21.7	79.2" x 39.4"	N/A	1	2-3	4	5*	6*-7*
<b>CANADIAN SOLAR</b>								
CS5A (130-190W)	13.7	62.8" x 31.5"	1	2-3	4	5*-6*	7*-8*	9*-10-11*-12
CS5P (200-240W)	18.3	63.1" x 41.8"	1	2	3	4-5*	6*	7*-8-9*
CS6C (100-130W)	10.6	58.5" x 26.2"	1-2	3	4-5*-6*	6-7*-8	9*-10	12-13*-14-15*
CS6A (120-190W)	14	52.1" x 38.7	1	2-3	4	5*-6	7*-8	9*-10*-11*-12*
CS6P (200-245W)	17.3	64.5" x 38.7"	1	2°	3	4-5*	6*	7*-8-9*
<b>CONERGY</b>								
E-205P to E-225P (17.8 ft.)	17.7	65.5" x 39"	1	2	3	4-5*	6*	8
SC-170M & MA to SC-180M & MA and C-175M, S-175MU, C-167P (14 ft.)	14	62" x 32.5"	1	2-3	4	5*-6	7*-8-9*	10-11*-12*
C-125PI	10.7	59" x 26.1"	2	2-3	6	8	10	12-14
P 185M	13.7	62.2" x 31.8"	1°	2°-3°	3-4	5*-6	7*-8	9*-10-11*-12
C-180M ( 14.1 ft. )	14.1	51.9" x 39.1"	1	2	3-4	6	8	10*
<b>CROWN</b>								
CR170	13.54	62.05" x 31.42"	1	2	3-4	5*-6	7*-8-9*	10-11*-12
<b>DAY 4</b>								
DAY 4 48MC-160/165/170/175/180/185/190	13.9	51.5" x 39"	1	2	3-4	5*-6	7*-8	9*-10*-11*-12*
DAY 4 36MC-115/120/125/130/135/140/145	10.7	57.7" x 26.6"	1-2	3-4	5*-6*	8	9*-10	12-14

† - UTRK-040-S  
° - Requires Drilling

PANEL TYPE	SQ.FT/ PANEL	PANEL DIMENSIONS	UTR-020	UTRK-040	UTRF-064	UTRF-090	UTRF-120	UTRF-168
<b>Retail Price</b>			<b>\$819.00</b>	<b>\$1,668.00</b>	<b>\$2,208.00</b>	<b>\$2,496.00</b>	<b>\$2,820.00</b>	<b>\$4,182.00</b>

ECOSOLARGY								
SDM 170-185 -72M ALPHA SERIES	13.7	62.2" x 31.81"	1	2-3	4	5°-6	7°-8	9°-10-11°-12°
TWES 200-235 60P NEPTUNE SERIES	17.7	65.1" x 39.2"	1	2	3	4-5°	6°	7°-8-9°
ECC 230-260 156P-60 ORION SERIES	17.5	64.4" x 39.1"	1°	1-2°	2-3	4-5°	6°	7°-8-9°
ECC 270-300 S156P-72 TITAN SERIES	20.9	76.9" x 39.1"	N/A	1-2	3	4	5°-6°	7°-8°

ET SOLAR GROUP								
ET-P654XXX 180-215W	15.8	58.3" x 39.1"	1	2	3-4	5°	6	8-9°-10°
ET-P672XXX 240-280W	20.9	77" x 39.1"	N/A	1	2-3	4	5°	6°-7°-8°

EVERGREEN								
ES-A 200-210W	16.9	65" x 37.5"	1	2	3-4	5°	6°	7°-8-9°-10
ES- 170 / 180 / 190 /195	16.1	61.8" x 37.5"	1	2	3-4	5°	6	7°-8-9°-10
EC-102/GD / 110/GD / 115/GD	11.1	62.4" x 25.7"	1	2-3	4-5	6-8	10	12-14

GENERAL ELECTRIC								
GEPV-065 / 070 / 072 / 085-M	6.8	47.3" x 20.8"	1-2	3-4-5	6-7°-8-9°	10-11°-12-13°	14-15°-16-17°	18-19°-20°-21°-22°-23°-24°-25°
GEPV-100-M / 110-M	10.3	58.1" x 25.6"	2	3-4	5-6°	8	9°-10	12-14
GEPV-130-M / GEPVp-130	10.6	58.5" x 26.2"	1-2	3-4	5-6°	6-7°-8	9°-10-11°	12-13°-14-15°
GEPVp-200-MS	15.7	58.5" x 38.6"	1	2†	3-4	5°	6-7°	8-9°-10°
GEPVc-170-MS	13.6	62.5" x 31.3"	1	2†-3†	4	5°-6	8	9°-10-12

GLOBAL SOLAR								
GSE-60	8.07	46.5" x 25"	1-2	3-4	5°-6-7°-8	10-11°	12-13°-14-15°	16°-17°-18°-19°-20°-21°
GSE-120	15.8	49.5" x 46"	1	2	4	N/A	6	7°-8-9°-10°

GRUNDFOS								
GF-43	9.33	48" x 28"	1-2	3-4	6	8-9°	10-12	14°-15°-16°-18°
GF-50	9.34	48.4" x 27.8"	1-2	3-4	6	8-9°	10-12	14°-15°-16°-18°
GTF-55	7.87	47.5" x 23.9"	1-2	3-4	5°-6-7°-8	9°-10-11°	12-13°-14-15°	16°-17°-18°-19°-20°-21°
GF-65C / GF 80	6.94	47.4" x 21.1"	1-2	3-4-5	6-7°-8	9°-10-11°-12-13°	14-15°-16-17°	18°-19°-20°-21°-22°-23°-24°
GF-101/110	11.4	61.2" x 26.8"	1	2-3	4-5	6-7°-8	9°-10	11°-12-13°-14

HYUNDAI								
HIS-S 188-212 SF / HIS-M 182-206 SF	15.6	58.1" x 38.7"	1	2	3-4	5°-6°	7°	8-9°-10°

ISOFOTON								
IS-75 /12	7.2	48.2" x 21.5"	1-2	3-4-5	6-7°-8-9°	10-11°-12-13°	14-15°-16-17°	18°-19°-20°-21°-22°-23°-24°
IS-150 /12-24	13.5	62.6" x 31.1"	1	2-3	4-5°	6-7°	8-9°	10-11°-12
IS-150S /12-24	13.8	48.2" x 41.2"	1	2	3-4	5°-6	7°-8	9°-10°-11°-12°
IS-200/ 32	17.9	62.6" x 41.2"	1	2	3	4-5°	6°	7°-8-9°

KANEKA								
K60 / GSA-60	10.2	37.5" x 39"	1	2-3	4-6	7°-8-9°	10-11°-12°	13°-14°-15°-16°

KYOCERA								
KC-65	5.3	29.6" x 25.7"	1-2	3†-4†	5°-6-7°-8-9°-10°-11°-12°	13°-14°-15°	16°-17°-18°-19°-20°-21°-22°	24°-26°-28°
KC-80	6.8	38.4" x 25.6"	1-2	3-4	5-6-7°-8-9°	10-11°-12-13°	14-15°-16°-17°-18°-19°	20°-21°-22°-24°
KC-85	7.1	39.6" x 25.6"	1-2	3-4	5-6-7°-8-9°	10-11°-12-13°	14-15°-16°-17°	18°-19°-20°-21°-22°-24°
KC-120-1/125G/125GT/125TM/ 30GT/130TM	10	56" x 25.7"	1-2	3-4	5°-6°	6-7°-8-9°	10-11°-12	13°-14-15°-16°-17°
KC-158G / 167G / 170GT / 175GT	13.8	50.8" x 39.0"	1	2	3-4	5°-6	7°-8	9°-10°-11°-12°
KC-187G / 190GT / 200GT	15.2	56.2" x 39"	1	2	3-4	5°-6	7°-8	9°-10°-11°
KD-180GX-LP / KD-185GX-LPU	14.3	52.8" x 39.0"	1	2	3-4	5°-6	7°-8	9°-10°-11°
KD-130GX-LP / KD-135GX-LP / KD135SX-UPU KC130GX-LP KD135GX-LPU	10.8	59.1" x 26.3"	1-2	3	4-5°-6°	6-7°-8	9°-10-11°	12-13°-14-15°
KD-205GX-LP / KD210GX-LP / KD215GX-LPU	16	59.1" x 39.0"	1	2	3-4	5°	6-7°	8-9°-10°
KD(230-245)GX-LPB	17.7	65.4" x 39.0"	1°	1-2°	2-3	4-5°	6°	7°-8-9°

† - UTRK-040-S  
° - Requires Drilling

PANEL TYPE	SQ.FT/ PANEL	PANEL DIMENSIONS	UTR-020	UTRK-040	UTRF-064	UTRF-090	UTRF-120	UTRF-168
<b>Retail Price</b>			<b>\$819.00</b>	<b>\$1,668.00</b>	<b>\$2,208.00</b>	<b>\$2,496.00</b>	<b>\$2,820.00</b>	<b>\$4,182.00</b>

LORENTZ								
LA90-12SP	5.9	40.8" x 20.8"	1-2	3†-4†-5†	6-7*-8-9*-10-11*	12-13*-14-15*	16-17*-18*-19*-20*-21*	22*-23*-24*-25*-26*-27*
LA110-24S	9.3	42.6" x 31.3"	1-2	3†	4-5*-6-7*	8-9*	10-11*-12*-13*	14*-15*-16*-17*-18*
LA160-24S	11.2	61.3" x 26.3"	1	2-3	4-5*	6-7*-8	9*-10	11*-12-13*-14-15*
LB175-24M	13.5	62.1" x 31.4"	1	2-3	4-5*	6	7*-8-9*	10-11*-12
LC75-12M	7.2	47.6" x 21.7"	1-2	3-4-5	6-7*-8-9*	10-11*-12-13*	14-15*-16-17*	18*-19*-20*-21*-22*-23*
LC120-12P, LC130-12P	10.7	58.4" x 26.3"	1-2	3†-4†	5*-6*	6-7*-8-9*	10-11*-12	13*-14-15*
LC175-24M	13.7	62.2" x 31.8"	1	2-3	4-5*	6	7*-8-9*	10-11*-12

MAGE SOLAR								
170-180/5ME, 175-185/5MJ	13.7	62.2" x 31.8"	1	2-3	4	5*-6	7*-8-9*	10-11*-12
220/6PJ, 225/6PJ, 230/6PJ	17.7	65.2" x 39.1"	1	2	3	4-5*	6*	7*-8-9*

MATRIX SOLAR / PHOTOWATT								
PW6-110 / 123	10.2	56.7" x 25.9"	1-2	3-4	5*-6*	6-7*-8-9*	10-11*-12	13*-14-15*-16*
PW-1000	9.7	52.6" x 26.5"	1-2	3-4	6*	8	10-12	14-15*-16*
PW-1250/115-125-135	11	48.7" x 32.4"	1	2-3	4-5*-6	7*-8	9*-10	11*-12*-13*-14*-15*
PW-1650 & 1750/155-165-175	14.4	48.7" x 42.6"	1	2	3-4	5*-6	7*-8	9*-10*-11*
PWX-850	7.6	50.0" x 21.9"	1-2	3-4-5	6-8	10-12	14-16	18*-19*-20*-21*-22*
PW6-110Wp	10	56.1" x 25.8"	2	3-4	6*	8	10-12	14-16*
PW 500	5.21	41.125" x 18.25	3	6	8-12	16	20	30*

MITSUBISHI								
PV-MF 110EC3/4 / 120EC3/4	9.9	56.1" x 25.4"	1-2	3-4	5*-6*-7*	6-8-9*	10-11*-12	13*-14-15*-16*-17*
PV-MF 120EA2ST / 125A2LF / 125EA2LF / 130EA2LF	10.8	49.1" x 31.6"	1	2-3	4-5*-6	7*-8	9*-10-11*	12-13*-14*-15*
PV-MF 155 / 160 / 165 / 170 EB (3 or 4)	13.6	62.2" x 31.5"	1	2-3	4-5*	6-7*	8	9*-10-11*-12
PV-MF 115 / 120 / 125 / 130 TE4N, PV-TE 115 / 120 / 125 / 130 MF5N, PV-UE 115 / 125 / 130 F5N	10.8	58.9" x 26.5"	1	2-3	4-5*-6*	7*-8	9*-10-11*	12-13*-14-15*
PV-MF 185 / 180 / 175 / 170 TD4, PV-TD 190 / 185 / 180 / 175 MF5, PV-UD 175MF5, PV-MF 180 UD4	14.9	65.3" x 32.8"	1	2	3-4	5*-6*	7*-8*	9*-10-11*

NINGBO SOLAR								
TPB 125x125-72-P 170-180W	13.7	62.2" x 31.8"	1°	1†-2°-3°	4	5*-6	7*-8-9*	10-11*-12
TPB 125x125-96-P 220-240W	18.3	62.8" x 41.9"	1°	1-2°	3	4-5*	6	7*-8-9*

PHONO SOLAR								
PS210-240P-20U	17.5	64.6" x 39.1"	1	2	3	4-5*	6*	7*-8-9*

REC SOLAR								
REC SCM 210 / REC 210PE / 215PE / 220PE / 225PE / 230PE / 235PE / REC 205AE / 210AE / 215AE / 220AE / 225AE / 230AE / 235AE	17.8	65.6" x 39"	1	2	3	4-5*	6*	7*-8-9*

SANYO (Clips <b>not</b> provided by Zomeworks)								
HIP-63S1	5	36.9" x 19.5"	1-2-3	4-5-6	8-9*-10-12	14-16	N/A	N/A
HIP- 167 / 180 / 186 / 190 / 195 / 200 / 205BA3 / HIP-J54BA2 / J54B/H552BA1 / H552BA2	12.7	51.9" x 35.2"	1	2-3	4-5*	6-7*	8-9*	10-11*-12*-13*
HIP-205 / 210 / 215 NHE1	13.5	61.8" x 31.3"	1	2-3	4	5*-6-7*	8-9*	10-11*-12
HIT POWER 180-205W BA19	12.5	51.9" x 34.6"	1	2†-3†	4-5*	6-7*	8-9*	10-11*-12*-13*
HIT DOUBLE 180-200W	13.1	53.2" x 35.4"	1	2-3	4-5*	6-7*	8-9*	10-11*-12*
HIT POWER 210N / 215-N / 220A	13.6	62.2" x 31.42"	1	2-3	4-5*	6-7*	8-9*	10-11*-12

† - UTRK-040-S  
° - Requires Drilling

PANEL TYPE	SQ.FT/ PANEL	PANEL DIMENSIONS	UTR-020	UTRK-040	UTRF-064	UTRF-090	UTRF-120	UTRF-168
Retail Price			\$819.00	\$1,668.00	\$2,208.00	\$2,496.00	\$2,820.00	\$4,182.00

SCHOTT SOLAR								
SAPC- 165 / 170 / 175 / 123	14	62.0" x 32.5"	1	2	3-4	5-6	7-8	9"-10-11-12"
ASE 250-330W	26.1	74.5" x 50.5"	N/A	1	2	3	4	5-6"
ASE-260-DG-FT	23	63.2" x 52.6"	N/A	1	2	N/A	4	6
POLY 165-180	14.1	63.8" x 31.9	1	2-3	4	5-6*	7*-8*	9"-10-11"
POLY 200-240	18	66.3" x 39.1"	1	2	3	4-5*	6*	7*-8-9*
POLY 280-300	23.8	66.3" x 51.7"	N/A	1	2	3	4	5-6-7*

SCHUCO								
S-165-SPU / 170-SPU	13.6	62.2" x 31.5"	1	2-3	4	6	8	10-11"-12
S-165-180 SPU-4	14.9	65.3" x 32.8"	1	2	3-4	5-6*	7*-8*	9"-10-11"
MPE 200-230 PS 04	17.3	64.5" x 38.7"	1°	1-2°	3	4-5*	6*	7*-8-9*
MPE 200-230 PS 09	17.6	65.0" x 39.1"	1°	1-2°	3	4-5*	6*	7*-8-9*
MPE 230-245 PS 08	18.0	65.7" x 39.4"	1	2	3	4-5*	6*	7*-8-9*

SHARP								
NE-80EJE (80 watt) / NE-80EJEA / NE-80E1U	6.9	47.3" x 21.1"	1-2	3-4-5	6-7*-8-9*	10-11"-12-13"	14-15"-16-17"	18-19"-20"-21"-22"-23"-24"
ND-130UJF / 123UJF / L3EJEA / ND-L3E1U	10.7	59.0" x 26.1"	1-2	3	4-5-6*	7*-8-9*	10-11"	12-13"-14-15"
ND-QOE2U (160 watt) / ND-167U1F (167 watt)	14.1	51.9" x 39.1"	1	2	3-4	5-6	7*-8	9"-10"-11"-12"
NE-Q5E2U(165 watt) / NT-170U1 (170 watt) / NT-175U1 / NT-180U1 (180 watt) / NT-185U1 (185 watt) / NE-170U1 / NE-170U1-VE / NE-175U1-VE	14	62.0" X 32.5"	1	2	3-4	5-6	7*-8	9"-10-11"-12"
ND-187U1 / ND-187U1F / ND-198U1F	15.9	58.7" x 39.1"	1	2	3-4	5*	6-7*	8-9"-10"
ND-167U1 (167 watt)	14.3	52.3" x 39.5"	1	2	3-4	5-6	7*-8	9"-10"-11"
ND-200U1F / ND208U1 / ND-208U1F / ND208U2	17.5	64.6" x 39.1"	1	2	3	4-5*	6*	7*-8-9*
ND-205U1 / ND216U2 / ND216U1F / ND-224-U1F								
ND-V230A1 / NU-U235F1 / NU-U240F1								
ND-176U1Y	14.2	52.3" x 39.1"	1	2	3-4	5-6	7*-8	9"-10"-11"

SHELL								
SQ-85P (Siemens SP75 and PC4JF)	6.8	47.3" x 20.8"	1-2	3-4-5	6-7*-8-9*	10-11"-12-13"	14-15"-16-17"	18-19"-20"-21"-22"-23"-24"-25"
Siemens SR100	9.6	59.0" x 23.4"	1-2	3-4	5*-6*	7*-8-9*	10-12	11"-13"-14-15"-16-17
SM110-24P	9.3	51.8" x 26"	1-2	3†-4†	5*-6*-7*	8-9*	10-11"-12-13*	14-15"-16"-17"-18"
SP140-PC / 165-PC	14.2	63.9" x 32.1"	1	2†-3†	4	5*-6*	7*-8*	9"-10-11"

SILIKEN								
SLK 60P6L (215-245W)	17.5	64.6" x 39.0"	1	2	3	4-5*	6*	7*-8-9*
SLK 72M6L (285-310W)	20.9	77.2" x 39.0"	N/A	1	2-3	4	5*	6*-7*-8*

SOLARLAND								
SLP080-12	7.2	39.1" x 26.6"	1-2	3-4	5*-6-7*-8-9*	10-11"-12	13*-14*-15*-16*-17*	18*-19*-20*-21*-22**
SLP 160S-210S -24	13.7	62.2" x 31.8"	1	2-3	4	5-6	7*-8	9"-10-11"-12"
SLP 220-18H	17.5	64.4" x 39.1"	1	2	3	4-5*	6*	7*-8-9*

SOLARTECH								
SPM 125P	10.8	58.3" x 26.6"	1-2	3-4	5*-6*	7*-8	9"-10-11"	12-13"-14-15"
SPM 200P-230P	17.6	64.6" x 39.1"	1°	1-2°	2-3	4-5*	6*	7*-8-9*

SOLARWORLD								
SW130 / 140 / 150	12.3	65.9" x 26.9"	1	2-3	4-5	6*-7*	8*-9*	10-11"-12
SW 155 / 165 / 175 / 185 (MONO & POLY)	14	63.4" x 31.9"	1°	1-2°	2-3-4	5*-6*	7*-8*	9"-10-11"-12
SW 200 / 210 / 220 / 230 / 235 / 245 MONO / 250	18	65.9" x 39.4"	1°	1-2°	2-3	4-5*	6*	7*-8-9*
SW-75 / 80 / 85	6.8	47.2" x 20.8"	1-2	3†-4†-5†	6-7*-8-9*	10-11"-12-13"	14-15"-16-17*	18-19"-20"-21"-22"-23"-24"-25"

SOLON								
230 / 1 BLACK, 220 / 1 BLUE	17.7	64.6" x 39.4"	1	2	3	4-5*	6*	7*-8-9*

† - UTRK-040-S  
° - Requires Drilling

PANEL TYPE	SQ.FT/ PANEL	PANEL DIMENSIONS	UTR-020	UTRK-040	UTRF-064	UTRF-090	UTRF-120	UTRF-168
Retail Price			\$819.00	\$1,668.00	\$2,208.00	\$2,496.00	\$2,820.00	\$4,182.00

SUNPOWER								
SPR 90	5.9	40.9" x 20.8"	1-2-3	4-5	6-7*-8-9*-10-11*	12-13*-14-15*	16-17*-18*-19*-20*-21*	22*-23*-24*-25*-26*-27*
SPR 205-240W	13.4	61.4" x 31.4"	1	2-3	4	5*-6-7*	8-9*	10-11*-12*
SPR 305-320W	17.6	61.4" x 41.2"	1	2	3	4-5*	6	7*-8-9*

SUNTECH								
STP 085S / 080 / 075 / 070-12/Bb	7.0	47.1" x 21.3"	1-2	3-4-5	6-7*-8-9*-10	11*-12-13*	14-15*-16-17*	18*-19*-20*-21*-22*-23*-24*
STP 160-185W	13.7	62.2" x 31.8"	1	2-3	4	5*-6	7*-8	9*-10-12
STP 190-210W	15.8	58.3" x 39.1"	1	2†	3-4	5*	6-7*	8-9*-10*
STP 260-280W	20.9	77.0" x 39.1"	1°	2°	3	4	5*	6*-7*-8*

SUNWIZE								
SW 50/ 50C / 55 / 60	5.4	39.4" x 19.7"	1-2-3	4-5	6-7*-8-9*-10-11*	12-13*-14-15*-16-17*	18-19*-20*-21*-22*-23*	24*-25*-26*-27*
SW 50A / 55A / 60A	5.5	35.1" x 22.6"	1-2	3-4	5-6-7*-8-9*-10-11*	12-13*-14*-15*-16*	17*-18*-19*-20*-21*	22*-23*-24*-26**-28**
SW-85/SW-90/SW-95/SW-90C	9	56.9" x 22.9"	1-2	3-4	5-6*	6-7*-8-9*	10-11*-12-13*	14-15*-16-17*-18*
SW 100-120W	8.9	58.9" x 21.7"	1-2	3-4	5-6*-7*	8-9*-10	11*-12-13*-14	15*-16-17*-18*-19*
SW155-L/165-L	15.6	66.5" x 33.8"	1	2	3-4	5*-6*	N/A	7*-8-9*-10
SW 150-160W	14	66.6" x 30.3"	1	2-3	4	5*-6*	7*-8*	9*-10-11*-12
SW 170/175/180	13.7	62.2" x 31.8"	1	2-3	4	5*-6	7*-8-9*	10-11*-12*

TRINA SOLAR								
TSM 175-185 DA01	13.8	62.2" x 31.9"	1	2-3	4	5*-6	7*-8	9*-10-11*-12
TSM-PA05 220-240W	17.6	65" x 39.1"	1	2	3	4-5*	6*	7*-8-9*

UNI-SOLAR								
US-32	5.6	53.8" x 15.1"	1-2-3	4-5-6-7	N/A	8-9*-10-11*-12-13*-14-15*-16	17*-18-19*-20-21*	22-23*-24-25*-26*-27*
US-42	7.4	36.6" x 29.2"	1-2°	3†	4-5*-6-7*-8	9*-10-11*-12*	13*-14*-15*-16*	17*-18*-20*-22**
US-64	10.9	53.8" x 29.2"	1	2-3	4-5*-6*	6-7*-8	9*-10-11*	12-13*-14*-15*

YINGLI								
YL-75/80/85/90	6.8	46.1" x 21.3"	1-2	3°-4°-5°	6-7*-8-9*	10-11*-12-13*	14-15*-16-17*	18-19*-20*-21*-22*-23*-24*-25*
YL-110/120	10.8	57.9" x 26.8"	2	4	6*	8	10	12-14
YL-150	13.7	62.2" x 31.8"	1	2	4	6	8	10-12*
YL-160/165/170/175/180	14.3	52.6" x 39"	1	2	4	6	8	10
YL 210P-240P (29b)	17.6	65.0" x 39.0"	1	2	3	4-5*	6*	7*-8-9*
YL 215-236 (156)	18.3	65.0" x 40.6"	1	2	3	4-5*	6*	7*-8-9*

WEBEL								
W1600	15.62	66.54" x 33.82"	N/A	2	4	5*	6* - 7*	8 - 9* - 10

## Track Rack Options

High Wind Kit UTRK-040 - \$130 (FG-SHOCK-JWF-W HRDW)

High Wind Kit UTRF - 64, 90, 120 - \$358 ( Includes 2 shock absorbers, shock mount arm, bumper bolt and hardware ) order part FG-HWU-UTRF, ( Specify Tracker Model

# and Serial Number.)

FG-HWO-UTRF (When ordered at the same time as Tracker.)

See Our Website for More Track Rack Options

\*Extra Rail Set/Offset Package Required - \$335 \*\* 2 Extra Rail Sets Required - \$669

All UTRF-168 trackers come standard with the High Wind Kit, Each is fitted with 4 shock absorbers, 2 mounting arms and 2 bumper bolts for better stability. A longer wake up fin is also included for early morning return.

Extended 5 Year Limited Warranty on Shocks and Bearings:

UTRF-168 - \$150.00 ALL Other Trackers - \$100.00

International, overseas, or air shipments may require special packaging at an additional charge.

► PURCHASE ORDERS must be written and faxed or e-mailed with the PV MODEL # specified and the QUANTITY of PV panels to be mounted on each Track Rack model #.

ZOMEWORKS CORPORATION

Post Office Box 25805

Albuquerque, New Mexico 87125

Website: www.zomeworks.com

Email: zomework@zomeworks.com

[800] 279-6342 [505] 242-5354 phone [505] 243-5187 fax

† - UTRK-040-S

° - Requires Drilling